









Eccelectro


LED innovation





Profile with integrated optics IP20/IP67

- Anodised aluminium rail section 16x16mm
- Length up to 3 meters
- 10°/30°/60°/90° optics
- Termination plugs included
- Optional waterproof anti-UV PU resin
- External cable 2/4-wire 0.75mm²



Associated LED strips :

LUMI WHITE : 12W | 60LED/m | 24 Vcc | White

LUMI WHITE : 8W | 120LED/m | 24 Vcc | White

LUMI CRI 90 : 19W | 57LED/m | 24 Vcc | White


LUMI CRI 90 : 29W | 85LED/m | 24 Vcc | White

LUMI COLOR : 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber

LUMI COLOR : 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber


LUMI RGB : 15W | 60LED/m | 24 Vcc | RGB





Rounded profile IP20/IP67

- Section 17x18mm
- Length up to 3 meters
- Clear or diffusing cover
- Termination plugs included
- Clip attachment included
- Optional waterproof anti-UV PU resin



Associated LED strips :

LUMI WHITE : 12W | 60LED/m | 24 Vcc | White

LUMI WHITE : 8W | 120LED/m | 24 Vcc | White

LUMI CRI 90 : 19W | 57LED/m | 24 Vcc | White


LUMI CRI 90 : 29W | 85LED/m | 24 Vcc | White

LUMI COLOR : 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber

LUMI COLOR : 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber


LUMI RGB : 15W | 60LED/m | 24 Vcc | RGB





Profile with rounded diffuser IP20/IP67



- Anodized aluminium rail section 24x26mm
- Length up to 3 meters
- Termination plug included
- Mounting clip included
- Optional waterproof anti-UV PU resin
- External cable 2/4-wire 0.75mm²
- Clear or diffusing cover



Bandeaux led adéquats

- LUMI WHITE :** 12W | 60LED/m | 24 Vcc | White
- LUMI WHITE :** 8W | 120LED/m | 24 Vcc | White
- LUMI CRI 90 :** 19W | 57LED/m | 24 Vcc | White
- LUMI CRI 90 :** 29W | 85LED/m | 24 Vcc | White
- LUMI COLOR :** 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI COLOR :** 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI RGB :** 15W | 60LED/m | 24 Vcc | RGB
- POWER WHITE :** 16W | 57LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 70LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 240LED/m | 24 Vcc | White
- DUO WHITE :** 36W | 140LED/m | 24 Vcc | White froid/chaud
- POWER RGB :** 29W | 120LED/m | 24 Vcc | RGB
- POWER RGBW :** 30W | 120LED/m | 24 Vcc | RGBW





Square profile IP20/IP67

- Anodized aluminium rail section 24x26mm
- Length up to 3 meters
- Termination plug included
- Mounting clip included
- Optional waterproof anti-UV PU resin
- External cable 2/4-wire 0.75mm²
- Clear or diffusing cover

Associated LED strips :

LUMI WHITE : 12W | 60LED/m | 24 Vcc | White

LUMI WHITE : 8W | 120LED/m | 24 Vcc | White

LUMI CRI 90 : 19W | 57LED/m | 24 Vcc | White

LUMI CRI 90 : 29W | 85LED/m | 24 Vcc | White

LUMI COLOR : 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber

LUMI COLOR : 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber

LUMI RGB : 15W | 60LED/m | 24 Vcc | RGB

POWER WHITE : 16W | 57LED/m | 24 Vcc | White

POWER WHITE : 20W | 70LED/m | 24 Vcc | White

POWER WHITE : 20W | 240LED/m | 24 Vcc | White


DUO WHITE : 36W | 140LED/m | 24 Vcc | White froid/chaud

POWER RGB : 29W | 120LED/m | 24 Vcc | RGB

POWER RGBW : 30W | 120LED/m | 24 Vcc | RGBW




LUMI'RAMP C | H06W15



SLIM AND NARROW PROFILE FOR LIGHTING IP20/IP67

- Anodised aluminium rail section 6x15mm
- Length up to 3 meters
- Clear or diffusing cover
- Termination plugs included
- Clip attachment included
- Optional waterproof anti-UV PU resin



Associated LED strips :

LUMI WHITE : 12W | 60LED/m | 24 Vcc | White

LUMI WHITE : 8W | 120LED/m | 24 Vcc | White

LUMI CRI 90 : 19W | 57LED/m | 24 Vcc | White

LUMI CRI 90 : 29W | 85LED/m | 24 Vcc | White



LUMI COLOR : 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber

LUMI COLOR : 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber

LUMI RGB : 15W | 60LED/m | 24 Vcc | RGB



LUMI'RAMP C | H12W16



Thin and narrow profile for lighting IP20/IP67

- Anodized aluminium rail section 12x16mm
- Length up to 3 meters
- Clear or diffusing cover
- Termination plugs included
- Clip attachment included
- Optional waterproof anti-UV PU resin

Associated LED strips :

LUMI WHITE : 12W | 60LED/m | 24 Vcc | White

LUMI WHITE : 8W | 120LED/m | 24 Vcc | White

LUMI CRI 90 : 19W | 57LED/m | 24 Vcc | White


LUMI CRI 90 : 29W | 85LED/m | 24 Vcc | White

LUMI COLOR : 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber

LUMI COLOR : 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber


LUMI RGB : 15W | 60LED/m | 24 Vcc | RGB





Wide profile IP20/IP67


- Anodized aluminium rail section 24x26mm
- Length up to 3 meters
- Termination plug included
- Optional recessing rail
- Optional waterproof anti-UV PU resin
- Clear or diffusing cover



Associated LED strips :


- LUMI WHITE :** 12W | 60LED/m | 24 Vcc | White
- LUMI WHITE :** 8W | 120LED/m | 24 Vcc | White
- LUMI CRI 90 :** 19W | 57LED/m | 24 Vcc | White
- LUMI CRI 90 :** 29W | 85LED/m | 24 Vcc | White
- LUMI COLOR :** 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI COLOR :** 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI RGB :** 15W | 60LED/m | 24 Vcc | RGB
- POWER WHITE :** 16W | 57LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 70LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 240LED/m | 24 Vcc | White
- DUO WHITE :** 36W | 140LED/m | 24 Vcc | White froid/chaud
- POWER RGB :** 29W | 120LED/m | 24 Vcc | RGB
- POWER RGBW :** 30W | 120LED/m | 24 Vcc | RGBW





Wide profile with return IP20/IP67

- Anodised aluminium rail section 25x30mm
- Length up to 3 meters
- Termination plug included
- Optional recessing rail
- Optional waterproof anti-UV PU resin
- External cable 2/4-wire 0.75mm²
- Clear or diffusing cover



Associated LED strips :


- LUMI WHITE :** 12W | 60LED/m | 24 Vcc | White
- LUMI WHITE :** 8W | 120LED/m | 24 Vcc | White
- LUMI CRI 90 :** 19W | 57LED/m | 24 Vcc | White
- LUMI CRI 90 :** 29W | 85LED/m | 24 Vcc | White
- LUMI COLOR :** 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI COLOR :** 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI RGB :** 15W | 60LED/m | 24 Vcc | RGB
- POWER WHITE :** 16W | 57LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 70LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 240LED/m | 24 Vcc | White
- DUO WHITE :** 36W | 140LED/m | 24 Vcc | White froid/chaud
- POWER RGB :** 29W | 120LED/m | 24 Vcc | RGB
- POWER RGBW :** 30W | 120LED/m | 24 Vcc | RGBW





Wide and thin profile IP20/IP67

- Anodized aluminium rail section 10x26mm
- Length up to 2.5 meters
- Termination plugs included
- Optional recessing rail
- Optional waterproof circuit
- Option: through-wiring up to 30m
- Clear or diffusing cover



Associated LED strips :


- LUMI WHITE :** 12W | 60LED/m | 24 Vcc | White
- LUMI WHITE :** 8W | 120LED/m | 24 Vcc | White
- LUMI CRI 90 :** 19W | 57LED/m | 24 Vcc | White
- LUMI CRI 90 :** 29W | 85LED/m | 24 Vcc | White
- LUMI COLOR :** 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI COLOR :** 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI RGB :** 15W | 60LED/m | 24 Vcc | RGB
- POWER WHITE :** 16W | 57LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 70LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 240LED/m | 24 Vcc | White
- DUO WHITE :** 36W | 140LED/m | 24 Vcc | White froid/chaud
- POWER RGB :** 29W | 120LED/m | 24 Vcc | RGB
- POWER RGBW :** 30W | 120LED/m | 24 Vcc | RGBW





Triple profile IP20/IP67

- Anodised aluminium rail section 9x59mm
- Length up to 3 meters
- Termination plug included
- Clip attachment included
- Optional waterproof anti-UV PU resin
- Clear or diffusing cover



Associated LED strips :

LUMI WHITE : 12W | 60LED/m | 24 Vcc | White

LUMI WHITE : 8W | 120LED/m | 24 Vcc | White

LUMI CRI 90 : 19W | 57LED/m | 24 Vcc | White


LUMI CRI 90 : 29W | 85LED/m | 24 Vcc | White

LUMI COLOR : 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber

LUMI COLOR : 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber


LUMI RGB : 15W | 60LED/m | 24 Vcc | RGB





Overlapping profile for recessed lighting IP20/IP67



- Anodized aluminium rail section 12x22mm
- Length up to 3 meters
- Termination plug included
- Optional recessing rail
- Optional waterproof anti-UV PU resin
- To be recessed in groove
- Clear or diffusing cover



Associated LED strips :


- LUMI WHITE :** 12W | 60LED/m | 24 Vcc | White
- LUMI WHITE :** 8W | 120LED/m | 24 Vcc | White
- LUMI CRI 90 :** 19W | 57LED/m | 24 Vcc | White
- LUMI CRI 90 :** 29W | 85LED/m | 24 Vcc | White
- LUMI COLOR :** 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI COLOR :** 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI RGB :** 15W | 60LED/m | 24 Vcc | RGB
- POWER WHITE :** 16W | 57LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 70LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 240LED/m | 24 Vcc | White
- DUO WHITE :** 36W | 140LED/m | 24 Vcc | White froid/chaud
- POWER RGB :** 29W | 120LED/m | 24 Vcc | RGB
- POWER RGBW :** 30W | 120LED/m | 24 Vcc | RGBW





Wide profile with return IP20/IP67

- Anodized aluminium rail section 6x22mm
- Length up to 3 meters
- Termination plug included
- To be recessed in groove
- Optional waterproof anti-UV PU resin
- Clear or diffusing cover





Associated LED strips :

- LUMI WHITE :** 12W | 60LED/m | 24 Vcc | White
- LUMI WHITE :** 8W | 120LED/m | 24 Vcc | White
- LUMI CRI 90 :** 19W | 57LED/m | 24 Vcc | White
- LUMI CRI 90 :** 29W | 85LED/m | 24 Vcc | White
- LUMI COLOR :** 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI COLOR :** 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI RGB :** 15W | 60LED/m | 24 Vcc | RGB
- POWER WHITE :** 16W | 57LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 70LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 240LED/m | 24 Vcc | White
- DUO WHITE :** 36W | 140LED/m | 24 Vcc | White froid/chaud
- POWER RGB :** 29W | 120LED/m | 24 Vcc | RGB
- POWER RGBW :** 30W | 120LED/m | 24 Vcc | RGBW




LUMI'RAMP C | H25W51



Wide profile with semi-recessed rounded overlap IP20/IP67


- Anodised aluminium rail section 25x51mm
- Length up to 3 meters
- Termination plug included
- Incl. spring mounting
- Optional waterproof anti-UV PU resin
- External cable 2/4-wire 0.75mm²
- Clear or diffusing cover



Associated LED strips :


LUMI WHITE :	12W 60LED/m 24 Vcc White
LUMI WHITE :	8W 120LED/m 24 Vcc White
LUMI CRI 90 :	19W 57LED/m 24 Vcc White
LUMI CRI 90 :	29W 85LED/m 24 Vcc White
LUMI COLOR :	12W 60LED/m 24 Vcc Red, Green, Blue, Amber
LUMI COLOR :	8W 120LED/m 24 Vcc Red, Green, Blue, Amber
LUMI RGB :	15W 60LED/m 24 Vcc RGB
POWER WHITE :	16W 57LED/m 24 Vcc White
POWER WHITE :	20W 70LED/m 24 Vcc White
POWER WHITE :	20W 240LED/m 24 Vcc White
DUO WHITE :	36W 140LED/m 24 Vcc White froid/chaud
POWER RGB :	29W 120LED/m 24 Vcc RGB
POWER RGBW :	30W 120LED/m 24 Vcc RGBW





Wide profile with flat overlap for recessed installation IP20/IP67

- Anodized aluminium rail section 25x46mm
- Length up to 3 meters
- Termination plug included
- Spring mounting included
- Optional waterproof anti-UV PU resin
- Clear or diffusing cover



Associated LED strips :


- LUMI WHITE :** 12W | 60LED/m | 24 Vcc | White
- LUMI WHITE :** 8W | 120LED/m | 24 Vcc | White
- LUMI CRI 90 :** 19W | 57LED/m | 24 Vcc | White
- LUMI CRI 90 :** 29W | 85LED/m | 24 Vcc | White
- LUMI COLOR :** 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI COLOR :** 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI RGB :** 15W | 60LED/m | 24 Vcc | RGB
- POWER WHITE :** 16W | 57LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 70LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 240LED/m | 24 Vcc | White
- DUO WHITE :** 36W | 140LED/m | 24 Vcc | White froid/chaud
- POWER RGB :** 29W | 120LED/m | 24 Vcc | RGB
- POWER RGBW :** 30W | 120LED/m | 24 Vcc | RGBW





Triple overlapping profile IP20/IP67

- Anodized aluminium rail section 9x56mm
- Length up to 3 meters
- Termination plug included
- Clip attachment included
- Waterproof circuit option
- Clear or diffusing cover



Associated LED strips :

LUMI WHITE : 12W | 60LED/m | 24 Vcc | White

LUMI WHITE : 8W | 120LED/m | 24 Vcc | White

LUMI CRI 90 : 19W | 57LED/m | 24 Vcc | White

LUMI CRI 90 : 29W | 85LED/m | 24 Vcc | White

LUMI COLOR : 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber

LUMI COLOR : 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber


LUMI RGB : 15W | 60LED/m | 24 Vcc | RGB





Profile for corner lighting IP20/IP67

- Anodized aluminium rail section 19x19mm
- Length up to 3 meters
- Termination plug included
- Mounting clip included
- Optional waterproof anti-UV PU resin
- External cable 2/4-wire 0.75mm²
- Clear or diffusing cover



Associated LED strips :


- LUMI WHITE :** 12W | 60LED/m | 24 Vcc | White
- LUMI WHITE :** 8W | 120LED/m | 24 Vcc | White
- LUMI CRI 90 :** 19W | 57LED/m | 24 Vcc | White
- LUMI CRI 90 :** 29W | 85LED/m | 24 Vcc | White
- LUMI COLOR :** 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI COLOR :** 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI RGB :** 15W | 60LED/m | 24 Vcc | RGB
- POWER WHITE :** 16W | 57LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 70LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 240LED/m | 24 Vcc | White
- DUO WHITE :** 36W | 140LED/m | 24 Vcc | White froid/chaud
- POWER RGB :** 29W | 120LED/m | 24 Vcc | RGB
- POWER RGBW :** 30W | 120LED/m | 24 Vcc | RGBW





Profile for corner lighting IP20/IP67


- Anodised aluminium rail section 10x30mm
- Length up to 3 meters
- Termination plug included
- Mounting clip included
- Optional waterproof anti-UV PU resin
- Clear or diffusing cover



Associated LED strips :


- LUMI WHITE :** 12W | 60LED/m | 24 Vcc | White
- LUMI WHITE :** 8W | 120LED/m | 24 Vcc | White
- LUMI CRI 90 :** 19W | 57LED/m | 24 Vcc | White
- LUMI CRI 90 :** 29W | 85LED/m | 24 Vcc | White
- LUMI COLOR :** 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI COLOR :** 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI RGB :** 15W | 60LED/m | 24 Vcc | RGB
- POWER WHITE :** 16W | 57LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 70LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 240LED/m | 24 Vcc | White
- DUO WHITE :** 36W | 140LED/m | 24 Vcc | White froid/chaud
- POWER RGB :** 29W | 120LED/m | 24 Vcc | RGB
- POWER RGBW :** 30W | 120LED/m | 24 Vcc | RGBW





Thin and wide profile IP20/IP67

- Anodised aluminium rail section 08x19mm
- Length up to 3 meters
- Clear or diffusing cover
- Termination plugs included
- Clip fastening
- Optional waterproof circuit



Associated LED strips :

LUMI WHITE : 12W | 60LED/m | 24 Vcc | White

LUMI WHITE : 8W | 120LED/m | 24 Vcc | White

LUMI CRI 90 : 19W | 57LED/m | 24 Vcc | White



LUMI CRI 90 : 29W | 85LED/m | 24 Vcc | White

LUMI COLOR : 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber

LUMI COLOR : 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber


LUMI RGB : 15W | 60LED/m | 24 Vcc | RGB





Recessed reinforced profile IP20/IP67


- Anodised aluminium rail section 26x22mm
- Length up to 3 meters
- Termination plug included
- Optional rolling foam
- Optional waterproof anti-UV PU resin
- External cable 2/4-wire 0.75mm²
- Clear or diffusing cover



Associated LED strips :


- LUMI WHITE :** 12W | 60LED/m | 24 Vcc | White
- LUMI WHITE :** 8W | 120LED/m | 24 Vcc | White
- LUMI CRI 90 :** 19W | 57LED/m | 24 Vcc | White
- LUMI CRI 90 :** 29W | 85LED/m | 24 Vcc | White
- LUMI COLOR :** 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI COLOR :** 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI RGB :** 15W | 60LED/m | 24 Vcc | RGB
- POWER WHITE :** 16W | 57LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 70LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 240LED/m | 24 Vcc | White
- DUO WHITE :** 36W | 140LED/m | 24 Vcc | White froid/chaud
- POWER RGB :** 29W | 120LED/m | 24 Vcc | RGB
- POWER RGBW :** 30W | 120LED/m | 24 Vcc | RGBW





H-profile for tangential illumination IP20/IP67

- Section 23x34mm
- Length up to 3 meters
- PMMA with homogeneous diffusion
- Termination plug included
- Screw tightening included
- Optional waterproof anti-UV PU resin



Associated LED strips :

- LUMI WHITE :** 12W | 60LED/m | 24 Vcc | White
- LUMI WHITE :** 8W | 120LED/m | 24 Vcc | White
- LUMI CRI 90 :** 19W | 57LED/m | 24 Vcc | White
- LUMI CRI 90 :** 29W | 85LED/m | 24 Vcc | White
- LUMI COLOR :** 12W | 60LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI COLOR :** 8W | 120LED/m | 24 Vcc | Red, Green, Blue, Amber
- LUMI RGB :** 15W | 60LED/m | 24 Vcc | RGB
- POWER WHITE :** 16W | 57LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 70LED/m | 24 Vcc | White
- POWER WHITE :** 20W | 240LED/m | 24 Vcc | White
- DUO WHITE :** 36W | 140LED/m | 24 Vcc | White froid/chaud
- POWER RGB :** 29W | 120LED/m | 24 Vcc | RGB
- POWER RGBW :** 30W | 120LED/m | 24 Vcc | RGBW





www.eccelectro.com

Mail: info@eccelectro.com

Phone: 04 78 56 62 62

ZA des Andrés, 40 rue du Chapitre

69126 Brindas

